






































Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> Nickel-plated steel screw ON REQUEST: Brass plated steel (fin. 28) 	1 06119 00 0, 1 06123 00 1, 1 06123 03 0, 1 06123 04 0, 1 06142 00 0, 1 06142 02 0	0,017	50	1	06048	00	0	
	<ul style="list-style-type: none"> Nickel-plated steel screw ON REQUEST: Brass plated steel (fin. 28) 	1 06119 00 0, 1 06123 00 1, 1 06123 03 0, 1 06123 04 0, 1 06142 00 0, 1 06142 02 0	0,004	50	1	06048	01	0	
	<ul style="list-style-type: none"> Nickel-plated steel screw ON REQUEST: Brass plated steel (fin. 28) 	1 06119 00 0, 1 06123 00 1, 1 06123 03 0, 1 06123 04 0, 1 06142 00 0, 1 06142 02 0	0,006	50	1	06048	02	0	
	<ul style="list-style-type: none"> Nickel-plated steel screw ON REQUEST: Brass plated steel (fin. 28) 	1 06119 00 0, 1 06123 00 1, 1 06123 03 0, 1 06123 04 0, 1 06142 00 0, 1 06142 02 0	0,008	50	1	06048	03	0	
	<ul style="list-style-type: none"> Inside brass escutcheon 	57000	0,035	12	1	06081	00	0	
	<ul style="list-style-type: none"> Outside brass escutcheon 	1 06119 00 0, 1 06142 00 0, 57000	0,030	12	1	06082	00	0	
	<ul style="list-style-type: none"> Hollow outside brass escutcheon 	1 06119 00 0, 1 06142 00 0, 57000	0,031	12	1	06083	00	0	







Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers. Spec.
	<ul style="list-style-type: none"> Brass floor striker diameter 11 mm. FOR: extended bolts with rods diameter 10 mm. 		0,016	12	1	06086	00	0	
	<ul style="list-style-type: none"> Brass floor striker with spring dust-cover, diameter 12 mm. USED FOR: - Internal extended bolts with 8 mm. diameter rods multi-point locks series 46445 - Extended bolt for Multitop item 1.06449.11.0 		0,020	12	1	06086	02	0	
	<ul style="list-style-type: none"> Polished brass key guide escutcheon with ten spacers AVAILABLE FINISHES: Bronze anodized aluminium (fin. 47) Chrome-plated brass (fin.18) 	57000	0,094	5	1	06119	00	0	
	<ul style="list-style-type: none"> Inside brass escutcheon with plug 	57000	0,032	12	1	06143	00	0	
	<ul style="list-style-type: none"> Polished brass escutcheon with key guide 	57290, 57291, 57296, 57831, 57833, 57835, 57837, 57851, 57853, 57855, 57857	0,105	1	1	06144	10	1	
	<ul style="list-style-type: none"> Brass long lipped striker 	5C130, 5C170, 53131, 53151, 57831, 57851	0,055	25	1	06213	05	0	
	<ul style="list-style-type: none"> Bronze plated steel central striker 	53002	0,100	12	1	06278	10	0	
	<ul style="list-style-type: none"> Bronze plated steel central striker 	53002	0,100	12	1	06279	10	0	

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
	• Lacquered satin brass central striker	5C130, 5C170, 53035, 53131, 53133, 53135, 53137, 53151, 53153, 53155, 53157, 57831, 57833, 57835, 57837, 57851, 57853, 57855, 57857	0,096	12	1	06279	11	0	
	• Brass upper striker (single-leaf doors)	53131, 53133, 53137, 53151, 53153, 53157, 57831, 57833, 57837, 57851, 57853, 57857	0,060	25	1	06292	00	0	
	• Brass upper striker (double-leaf doors)	53131, 53133, 53137, 53151, 53153, 53157, 57831, 57833, 57837, 57851, 57853, 57857	0,060	25	1	06292	01	0	
	• Long lip in bronze plated brass for central strikers	53002, 53003	0,040	25	1	06293	00	0	
	• Long lip in lacquered satin brass for central strikers	53002, 53003	0,040	25	1	06293	01	0	
	• Top and bottom striker in bronze plated steel, for lateral dead-bolts	53003	0,100	25	1	06322	00	0	
	• Top and bottom striker in bronze plated steel, for lateral dead-bolts	53002	0,100	25	1	06323	00	0	
	• Top and bottom striker in lacquered satin brass, for lateral dead-bolts	53035, 53133, 53135, 53137, 57833, 57835, 57837	0,100	12	1	06323	01	0	
	• Top and bottom striker in lacquered satin brass, for lateral dead-bolts	53153, 53155, 53157, 57853, 57855, 57857	0,120	12	1	06325	00	0	

Type	Description	For series/item	Unit weight  Kg	Pieces 	ITEM				
					Type	Dim.	Hand	Fin.	Pers. Spec.
	<ul style="list-style-type: none"> • Square striking plate (1.600 mm.) in bronze plated steel 	53003	0,800	6	1	06328	00	0	
	<ul style="list-style-type: none"> • Square striking plate (1.600 mm.) in yellow zinc plated steel 	53003	0,800	6	1	06328	00	0 82	
	<ul style="list-style-type: none"> • Round striking plate (1.600 mm.) in bronze plated steel 	53002	0,800	6	1	06329	00	0	
	<ul style="list-style-type: none"> • Round striking plate (1.600 mm.) in yellow zinc plated steel 	53002	0,800	6	1	06329	00	0 82	
	<ul style="list-style-type: none"> • Adjustable striker in lacquered satin brass 	53035, 53135, 53137, 57835, 57837	1,300	6	1	06330	00	0	
	<ul style="list-style-type: none"> • Adjustable striker in lacquered satin brass 	53155, 53157, 57855, 57857	1,300	6	1	06331	00	0	
	<ul style="list-style-type: none"> • Protective rose for cylinder series RS3, ASTRAL (with long key CL) and ASIX, in polished golden finish carbonitrited steel • Complete with: Spacers 2 mm. (pcs.16), 1 mm. (pcs. 2) Outside cover plates 2 mm. (pcs.2) Screws M5 x 73 mm. Inner rose 	12000, 52000, 53000	0,500	1	1	06460	15	0	
	<ul style="list-style-type: none"> • Protective rose for cylinder series SP and TSP (with long key CL), in polished golden finish carbonitrited steel • Complete with: Spacers 2 mm. (pcs.16), 1 mm. (pcs. 2) Outside cover plates 2 mm. (pcs.2) Screws M5 x 73 mm. Inner rose 	12000, 52000, 53000	0,500	1	1	06460	16	0	
	<ul style="list-style-type: none"> • Top or bottom lateral locking with flat-type dead-bolts and vertical extended bolt 	53000, 57000	0,550	1	1	07172	10	0	
	<ul style="list-style-type: none"> • Top or bottom lateral locking with pin-operated dead-bolts and vertical extended bolt 	53153, 53155, 53157, 57853, 57855, 57857	0,550	1	1	07172	30	0	
	<ul style="list-style-type: none"> • Set of vertical extended bolts including 2 upper strikers (flat, square) and 2 floor striker 	53000, 57000	0,533	1	1	07173	00	0	

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers.
	<ul style="list-style-type: none"> Set of bronze plated steel striking plates: pcs. 1 item 1.06279.10.0 pcs. 2 item 1.06323.00.0 	53002	0,266	6	1	07174	00	0	
	<ul style="list-style-type: none"> Set of yellow zinc plated steel striking plates: pcs. 1 item 1.06279.10.0.82 pcs. 2 item 1.06323.00.0.82 	53002	0,300	6	1	07174	00	0 82	
	<ul style="list-style-type: none"> Set of bronze plated steel striking plates: pcs. 1 item 1.06278.10.0 pcs. 2 item 1.06322.00.0 	53003	0,300	6	1	07175	00	0	
	<ul style="list-style-type: none"> Set of yellow zinc plated steel striking plates: pcs. 1 item 1.06278.10.0.82 pcs. 2 item 1.06323.00.0.82 	53003	0,300	6	1	07175	00	0 82	
	<ul style="list-style-type: none"> Set of lacquered satin brass striking plates: pcs. 1 item 1.06279.11.0 pcs. 2 item 1.06323.01.0 	53035, 53135, 53137, 57835, 57837	0,300	6	1	07176	00	0	
	<ul style="list-style-type: none"> Set of lacquered satin brass striking plates: pcs. 2 item 1.06213.05.0 pcs. 2 item 1.06323.01.0 	53035, 53135, 53137, 57835, 57837	0,300	6	1	07176	10	0	
	<ul style="list-style-type: none"> Set of lacquered satin brass striking plates: pcs. 1 item 1.06279.11.0 pcs. 2 item 1.06325.00.0 	53155, 53157, 57855, 57857	0,300	6	1	07177	00	0	
	<ul style="list-style-type: none"> Set of lacquered satin brass striking plates: pcs. 2 item 1.06213.05.0 pcs. 2 item 1.06325.00.0 	53155, 53157, 57855, 57857	0,300	6	1	07177	10	0	

Type	Description	For series/item	Unit weight Kg	Pieces	ITEM				
					Type	Dim.	Hand	Fin.	Pers. Spec.
	<ul style="list-style-type: none"> Set of lacquered satin brass striking plates: pcs. 1 item 1.06279.11.0 pcs. 1 item 1.06323.01.0 	53133, 57833	0,192	6	1	07178	00	0	
	<ul style="list-style-type: none"> Set of lacquered satin brass striking plates: pcs. 2 item 1.06213.05.0 pcs. 1 item 1.06323.01.0 	53133, 57833	0,200	6	1	07178	10	0	
	<ul style="list-style-type: none"> Set of lacquered satin brass striking plates: pcs. 1 item 1.06279.11.0 pcs. 1 item 1.06325.00.0 	53153, 57853	0,300	6	1	07179	00	0	
	<ul style="list-style-type: none"> Set of lacquered satin brass striking plates: pcs. 2 item 1.06213.05.0 pcs. 1 item 1.06325.00.0 	53153, 57853	0,300	6	1	07179	10	0	
	<ul style="list-style-type: none"> Central cylinder lock with latch-bolt and flat-type dead-bolt 	53002, 53003, 53035, 53131, 53133, 53135, 53137, 57831, 57833, 57835, 57837	0,770 0,800 0,860	1 1 1	1	52507	45	0 0 0	
	<ul style="list-style-type: none"> Central cylinder lock with roller latch and flat-type dead-bolt 	53002, 53003, 53035, 53131, 53133, 53135, 53137, 57831, 57833, 57835, 57837	1,145 0,770 1,145	1 1 1	1	52508	45	0 0 0	

Type	Description	For series/item	Kg		Pieces		ITEM				
			Unit weight	Pieces	Type	Dim.	Hand	Fin.	Pers.	Spec.	
	<ul style="list-style-type: none"> Central cylinder lock with latch-bolt and pin-operated dead-bolt 	53151, 53153,	0,735	1	1	52527	45	0			
		53155, 53157,	0,765	1	1	52527	50	0			
		57851, 57853,	0,800	1	1	52527	60	0			
		57855, 57857									
	<ul style="list-style-type: none"> Central cylinder lock with roller latch and pin-operated dead-bolt 	53151, 53153,	0,700	1	1	52528	45	0			
		53155, 53157,	0,700	1	1	52528	50	0			
		57851, 57853,	0,805	1	1	52528	60	0			
		57855, 57857									
	<ul style="list-style-type: none"> Double bit key central lock with latch-bolt and flat-type dead-bolt 2 key blanks item 1.00100.00.1 	53002, 53003,	0,845	1	1	57218	45	0			
		53035, 53131,	0,870	1	1	57218	50	0			
		53133, 53135,	0,925	1	1	57218	60	0			
		53137, 57831,									
		57833, 57835,									
57837											
	<ul style="list-style-type: none"> Double bit key central lock with roller latch and flat-type dead-bolt 2 key blanks item 1.00100.00.1 	53002, 53003,	1,340	1	1	57219	45	0			
		53035, 53131,	1,340	1	1	57219	50	0			
		53133, 53135,	0,885	1	1	57219	60	0			
		53137, 57831,									
		57833, 57835,									
57837											
	<ul style="list-style-type: none"> Double bit key central lock with latch-bolt and pin-operated dead-bolt 2 key blanks item 1.00100.00.1 	53151, 53153,	1,340	1	1	57298	45	0			
		53155, 53157,	0,845	1	1	57298	50	0			
		57851, 57853,	0,910	1	1	57298	60	0			
		57855, 57857									
	<ul style="list-style-type: none"> Double bit key central lock with roller latch and pin-operated dead-bolt 2 key blanks item 1.00100.00.1 	53151, 53153,	0,950	1	1	57299	45	0			
		53155, 53157,	0,815	1	1	57299	50	0			
		57851, 57853,	0,875	1	1	57299	60	0			
		57855, 57857									