



Technical features:

- Zinc-plated steel case
- Reversible flat latch with double chamfer, nickel-plated
- Nickel-plated dead-bolt, either in a regular or multiple bolts configuration

Supplied as standard:

- Fixing screws for lock and striker
- Instruction sheet


Hand:

0 = Non-handed

Cylinder to be ordered separately



Type	Description	DEAD-BOLTS	Locking points	Throws	Centre Distance	Faceplate	Backset	Unit weight 	Pieces 	ITEM			
										Type	Dim.	Hand	Fin.




- Bronze plated steel 'flat' faceplate 22 x 3 mm., 1.600 mm.
- Latch-bolt and 3 lateral dead-bolts
- ON REQUEST:
 - Set of bronze plated strikers item 1.07174.00.0
 - Bronze plated striking plate item 1.06329.00.0
 - Bronze plated long lip item 1.06293.00.0

	3	2	85	22	45	3,000	6	1	53002 45 0
	3	2	85	22	50	4,000	6	1	53002 50 0
	3	2	85	22	60	4,000	6	1	53002 60 0

- Yellow zinc plated steel 'flat' faceplate 22 x 3 mm., 1.600 mm.
- Latch-bolt and 3 lateral dead-bolts
- ON REQUEST:
 - Set of yellow zinc plated strikers item 1.07174.00.0.82
 - Yellow zinc plated striking plate item 1.06329.00.0.82
 - Brass long lip item 1.06293.01.0

	3	2	85	22	45	3,420	6	1	53002 45 0 82
	3	2	85	22	50	3,420	6	1	53002 50 0 82
	3	2	85	22	60	3,420	6	1	53002 60 0 82

Type	Description	DEAD-BOLTS	Locking points Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	ITEM				
									Type	Dim.	Hand	Fin.	Pers. Spec.




- Bronze plated steel 'flat' faceplate 22 x 3 mm., 1.600 mm.
- Latch-bolt and 3 lateral dead-bolts
- ON REQUEST:
 - Set of bronze plated strikers item 1.07175.00.0
 - Bronze plated striking plate item 1.06328.00.0
 - Bronze plated long lip item 1.06293.00.0

3	2	85	22	45	4,000	6	1	53003	45	0		
3	2	85	22	50	4,000	6	1	53003	50	0		
3	2	85	22	60	4,000	6	1	53003	60	0		

- Yellow zinc plated steel 'flat' faceplate 22 x 3 mm., 1.600 mm.
- Latch-bolt and 3 lateral dead-bolts
- ON REQUEST:
 - Set of yellow zinc plated strikers item 1.07175.00.0.82
 - Yellow zinc plated striking plate item 1.06328.00.0.82
 - Brass long lip item 1.06293.01.0

3	2	85	22	45	3,420	6	1	53003	45	0	82	
3	2	85	22	50	3,420	6	1	53003	50	0	82	
3	2	85	22	60	3,420	6	1	53003	60	0	82	




- Lacquered satin brass adjustable U-shaped faceplate 22 x 10 mm., 2.600 mm.
 - upper adjustment 650 mm.
 - lower adjustment 35 mm.
- Latch-bolt and 3 lateral dead-bolts
- ON REQUEST:
 - Set of lacquered satin brass strikers item 1.07176.00.0
 - Set of long lipped lacquered satin brass strikers item 1.07176.10.0
 - Lacquered satin brass adjustable striker item 1.06330.00.0

3	2	85	22	45	4,750	6	1	53135	45	0		
3	2	85	22	50	4,750	6	1	53135	50	0		
3	2	85	22	60	4,750	6	1	53135	60	0		

- Lacquered satin brass adjustable U-shaped faceplate 22 x 10 mm., 2.600 mm.
 - upper adjustment 650 mm.
 - lower adjustment 35 mm.
- Latch-bolt and 3 lateral dead-bolts
- ON REQUEST:
 - Set of lacquered satin brass strikers item 1.07177.00.0
 - Set of long lipped lacquered satin brass strikers item 1.07177.10.0
 - Lacquered satin brass adjustable striker item 1.06331.00.0

3	2	85	22	45	4,750	6	1	53155	45	0		
3	2	85	22	50	4,750	6	1	53155	50	0		
3	2	85	22	60	4,750	6	1	53155	60	0		

Type	Description	DEAD - BOLTS	Locking points	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	ITEM				
										Type	Dim.	Hand	Fin.	Pers.



- Lacquered satin brass adjustable U-shaped faceplate 22 x 10 mm., 2.600 mm.
- upper adjustment 650 mm.
- lower adjustment 35 mm.
- Latch-bolt and 3 lateral dead-bolts
- Vertical extended bolts
- SUPPLIED AS STANDARD:
- 2 upper strikers item 1.06292.00.0 and item 1.06292.01.0
- 1 floor striker item 1.06086.00.0
- ON REQUEST:
- Set of lacquered satin brass strikers item 1.07176.00.0
- Set of long lipped lacquered satin brass strikers item 1.07176.10.0
- Lacquered satin brass adjustable striker item 1.06330.00.0

	5	2	85	22	45	3,900	6	1	53137 45 0
	5	2	85	22	50	3,900	6	1	53137 50 0
	5	2	85	22	60	3,900	6	1	53137 60 0

- Lacquered satin brass adjustable U-shaped faceplate 22 x 10 mm., 2.600 mm.
- upper adjustment 650 mm.
- lower adjustment 35 mm.
- Latch-bolt and 3 lateral dead-bolts
- Vertical extended bolts
- SUPPLIED AS STANDARD:
- 2 upper strikers item 1.06292.00.0 and item 1.06292.01.0
- 1 floor striker item 1.06086.00.0
- ON REQUEST:
- Set of lacquered satin brass strikers item 1.07177.00.0
- Set of long lipped lacquered satin brass strikers item 1.07177.10.0
- Lacquered satin brass adjustable striker item 1.06331.00.0

	5	2	85	22	45	3,900	6	1	53157 45 0
	5	2	85	22	50	3,900	6	1	53157 50 0
	5	2	85	22	60	3,900	6	1	53157 60 0