

Technical features:

- Zinc-plated steel case
- Zinc-plated steel faceplate
- Nickel-plated dead-bolt

Supplied as standard:


- Cylinder fixing screws
- Instruction sheet

On request:


- Zinc-plated steel striking plate item 1.06232.21.0

Hand:
0 = Non-handed

Cylinder to be ordered separately




Type	Description	Throws	Centre Distance	Faceplate	Backset	Unit weight 		ITEM			
								Type	Dim.	Hand	Fin.




- Dead-bolt and latch
- 10.5 to 16.5 mm. adjustable latch and piston
- Set of steel roses item 1.06092.00.0
- 12 V ac CE
- ON REQUEST:
 - Striker item 1.06232.20.0

1	85	25	25	0,787	12	1	16315	25	0
1	85	25	30	0,851	12	1	16315	30	0
1	85	25	35	0,880	12	1	16315	35	0



- Dead-bolt and latch
- 10.5 to 16.5 mm. adjustable latch and piston
- Set of steel roses item 1.06092.00.0
- Pre-arranged for additional locking points
- Pair of threaded bushings (M8) item 1.06290.05.0
- Threaded pivots for fixing extended bolts
- 12 V ac CE
- ON REQUEST:
 - Extended bolts item 1.06415.00.0
 - Extended bolts item 1.07088.03.0
 - Floor striker item 1.06086.00.0
 - Floor striker with dust cover item 1.06086.02.0
 - Striker item 1.06232.20.0


1	85	25	25	0,901	12	1	16325	25	0
1	85	25	30	0,937	12	1	16325	30	0
1	85	25	35	0,985	12	1	16325	35	0



- Dead-bolt only
- Steel roses item 1.06092.00.0
- ON REQUEST:
 - Striker item 1.06232.21.0


1	-	25	25	0,505	12	1	46310	25	0
1	-	25	30	0,521	12	1	46310	30	0
1	-	25	35	0,780	12	1	46310	35	0

Type	Description	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	ITEM				
								Type	Dim.	Hand	Fin.	Pers. Spec.




- Dead-bolt only
- Cross-key cylinder with 3 keys
- Set of nylon roses item 1.06002.00.0
- ON REQUEST:
- Striker item 1.06232.21.0

1	-	25	25	0,667	12	1	46312	25	0
1	-	25	30	0,687	12	1	46312	30	0
1	-	25	35	0,707	12	1	46312	35	0




- Dead-bolt and latch
- Set of steel roses item 1.06092.00.0
- ON REQUEST:
- Striker item 1.06232.20.0

1	85	25	25	0,820	12	1	46315	25	0
1	85	25	30	0,840	12	1	46315	30	0
1	85	25	35	0,680	12	1	46315	35	0



- Dead-bolt and latch
- Cross-key cylinder with 3 keys
- Set of nylon roses item 1.06002.00.0
- ON REQUEST:
- Striker item 1.06232.20.0


1	85	25	25	0,747	12	1	46317	25	0
1	85	25	30	0,767	12	1	46317	30	0
1	85	25	35	0,787	12	1	46317	35	0



- Dead-bolt only
- Steel rose item 1.06092.00.0
- Pre-arranged for additional locking points
- Pair of threaded bushings (M8) item 1.06290.05.0
- Threaded pivots for fixing extended bolts
- ON REQUEST:
- Extended bolts item 1.06415.00.0
- Extended bolts item 1.07088.03.0
- Floor striker item 1.06086.00.0
- Floor striker with dust cover item 1.06086.02.0
- Striker item 1.06232.21.0


1	-	25	25	0,618	12	1	46320	25	0
1	-	25	30	0,673	12	1	46320	30	0
1	-	25	35	0,630	12	1	46320	35	0

Type	Description	Throws	Centre Distance	Faceplate	Backset	Unit weight Kg	Pieces	ITEM				
								Type	Dim.	Hand	Fin.	Pers. Spec.




- Dead-bolt only
- Cross-key cylinder with 3 keys
- Set of nylon rose item 1.06092.00.0
- Pre-arranged for additional locking points
- Pair of threaded bushings (M8) item 1.06290.05.0
- Threaded pivots for fixing extended bolts
- ON REQUEST:
 - Extended bolts item 1.06415.00.0
 - Extended bolts item 1.07088.03.0
 - Floor striker item 1.06086.00.0
 - Floor striker with dust cover item 1.06086.02.0
 - Striker item 1.06232.21.0

1	-	25	25	0,687	12	1 46322 25 0
1	-	25	30	0,707	12	1 46322 30 0
1	-	25	35	0,727	12	1 46322 35 0



- Dead-bolt and latch
- Pre-arranged for additional locking points
- Set of steel rose item 1.06092.00.0
- Pair of threaded bushings (M8) item 1.06290.05.0
- Threaded pivots for fixing extended bolts
- ON REQUEST:
 - Extended bolts item 1.06415.00.0
 - Extended bolts item 1.07088.03.0
 - Floor striker item 1.06086.00.0
 - Floor striker with dust cover item 1.06086.02.0
 - Striker item 1.06232.20.0

1	85	25	25	0,682	12	1 46325 25 0
1	85	25	30	0,750	12	1 46325 30 0
1	85	25	35	0,758	12	1 46325 35 0



- Dead-bolt and latch
- Cross-key cylinder with 3 keys
- Pre-arranged for additional locking points
- Set of nylon rose item 1.06092.00.0
- Pair of threaded bushings (M8) item 1.06290.05.0
- Threaded pivots for fixing extended bolts
- ON REQUEST:
 - Extended bolts item 1.06415.00.0
 - Extended bolts item 1.07088.03.0
 - Floor striker item 1.06086.00.0
 - Floor striker with dust cover item 1.06086.02.0
 - Striker item 1.06232.20.0

1	85	25	25	0,797	12	1 46327 25 0
1	85	25	30	0,817	12	1 46327 30 0
1	85	25	35	0,837	12	1 46327 35 0